

Насосы НХ-AQ7, НХ-AQ6, НХ-AQ5, НХ-AQ4, НХ-AQ3

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hyp@nt-rt.ru || сайт: <https://huixiasupply.nt-rt.ru/>

Mini Self Priming Waterjet Propulsion Water Jet pump HX-AQ7



Quick Details

Item	Mini Self Priming Waterjet Propulsion Water Jet pump HX-AQ7
Brand Name	HUIXIA
Model Number	See below table
Waterproof	No
Place of Origin	Fuzhou, China
Supply Ability	5000pcs per month
Package	plastic box/leather box/cloth box
Shipping method	DHL/UPS/FEDEX/TNT/by air/by sea
Port	Fuzhou, China
Trade terms	FOB/CIF/CNF
Payment method	paypal/bank transfer/west union

Tags : Pump ,freshwater and saltwater aquariums, Jet pump ,aquarium and fish tanks pump ,aquarium utility pump ,multi-function water pump ,submersible pump

Specification:

Model	Power (KW) (HP)		Max.Flow (L/MIN)	Max.Head (M)	Inlet Outlet (Inch)	Max.Suck (M)	N.W (KG)	Packing Dimension (mm)
HX60L	0.37	0.5	40	35	1"*1"	9	13	455*215*235
HX80L	0.55	0.75	50	40	1"*1"	9	14	455*215*235
HX100L	0.75	1	60	45	1"*1"	9	15	455*215*235

Features:

The submersible pump is well insulated and safe. It uses high quality materials. This is energy efficient.

It uses high quality materials. This is energy efficient.

Application:

The multi-function water pump is widely used in aquariums, rockeries, ponds and other occasions.

Aquarium fish tank DC water pump HX-AQ6



Quick Details

Item	Aquarium fish tank DC water pump HX-AQ6
Brand Name	HUIXIA
Model Number	See below table
Waterproof	No
Place of Origin	Fuzhou, China
Supply Ability	5000pcs per month
Package	plastic box/leather box/cloth box
Shipping method	DHL/UPS/FEDEX/TNT/by air/by sea
Port	Fuzhou, China
Trade terms	FOB/CIF/CNF
Payment method	paypal/bank transfer/west union

Tags : aquarium pump ,aquarium and fish tanks pump ,aquarium utility pump ,DC water pump ,air pump ,water pump

Specification:

Model No:	Watts (W)	Working Voltage (V)	H Max (M)	Qmax.(L/H)
HX-1200	20	Input AC100-240V 50/60HZ Output DC 24V	1.6	1500
HX-2500	25	Input AC100-240V 50/60HZ Output DC 24V	2.5	2500
HX-4000	35	Input AC100-240V 50/60HZ Output DC 24V	3.5	4000
HX-6000	45	Input AC100-240V 50/60HZ Output DC 24V	4.0	6500
HX-8000	70	Input AC100-240V 50/60HZ Output DC 24V	4.5	8000
HX-10000	85	Input AC100-240V 50/60HZ Output DC 24V	5.0	10000
HX-12000	85	Input AC100-240V 50/60HZ Output DC 24V	5.5	12000
HX-15000	125	Input AC100-240V 50/60HZ Output DC 36V	6.0	15000
HX-20000	150	Input AC100-240V 50/60HZ Output DC 36V	7.5	20000

Features:

DC 24V safty with controller

Submersible or inline

3 phase 6 poles motor

Variable frequency energy save up to 65%

Silent Operation,ult-quiet,long life.

Quite Safe, Various protection function , IC chip control,lack of water ,stuck protection.

Suitable for amphibious ues , fresh water, sea water

Multifunctional solar aquarium pump inverter generator HX-AQ5



Quick Details

Item	Multifunctional solar aquarium pump inverter generator HX-AQ5
Brand Name	HUIXIA
Model Number	See below table
Waterproof	No
Place of Origin	Fuzhou, China
Supply Ability	5000pcs per month
Package	plastic box/leather box/cloth box
Shipping method	DHL/UPS/FEDEX/TNT/by air/by sea
Port	Fuzhou, China
Trade terms	FOB/CIF/CNF
Payment method	paypal/bank transfer/west union

Tags : aquarium pump ,generator ,fish tanks pump ,solar aquarium pump , inverter generator ,aquarium utility pump ,air pump ,water pump

Specification:

Pump Design	Positive Displacement 3 Chamber Diaphragm Pump
Motor	Permanent Magnet, Thermally Protected
Voltage	24VDC Nominal
Amps	4.0A Maximum
Internal Bypass	105-110PSI Max.(7.2-7.5 Bars)
Maximum Lift	230 feet Maximum (70 Meters)
Maximum Submersion	100 Feet Maximum (30 meters)
Outlet Port	1/2" (12.7mm) Barbed Fitting
Inlet:	50Mesh Stainless Steel Screen
Materials	High Strength Engineered Plastics,Stainless Steel Fasteners
Typical Applications	Potable Water Well Pump

Packing List:

Packing size: 355*130*110mm

Features:

1. For 4" wells or larger
2. Quick disconnect with "Watertight-Gland" Design Pat Pend
3. Corrosion-proof housing with stainless-steel fastener
4. Run dry without damage
5. State of the art solid diaphragm
6. Stainless Steel Fastener
7. Pump Design: Positive Displacement 3 Chamber Diaphragm Pump
8. Motor: Permanent Magnet Thermally Protected
9. Internal Bypass: 105-110 PSI Max. (7.2-7.5 BARS)
10. Outlet Port: 1/2" (12.7mm) Barbed Fitting
11. Inlet: 50 Mesh Stainless Steel Screen
12. Material: High Strength Engineered Plastic.

Protein Skimmer Marine filter treatment water purifier HX-AQ4



Quick Details

Item	Protein Skimmer Marine filter treatment water purifier HX-AQ4
Brand Name	HUIXIA
Model Number	See below table
Waterproof	No
Place of Origin	Fuzhou, China
Supply Ability	5000pcs per month
Package	plastic box/leather box/cloth box
Shipping method	DHL/UPS/FEDEX/TNT/by air/by sea
Port	Fuzhou, China
Trade terms	FOB/CIF/CNF
Payment method	paypal/bank transfer/west union

Tags : Pump ,aquarium pump and filter ,fish tank pump ,Protein separator,marine filter,Water treatment ,aquarium utility pump

Features:

Practical and durable household products

Excellent quality and reasonable price

Keep the water clear, oxygen, no harmful substances, no pollution, suitable for the growth of fish

Application:

It is suitable for the subsistence system and water quality treatment of factory aquaculture and aquarium

Specification:

	Modello	Formato	Con la pompa	Misura per serbatoio	Qmax	Diametro	Ottimale di livello dell'acqua
Protein skimmer serie	HX-60	98*60 * 385 millimetri	PH-400	40-60L			
	H-60	120*70 * 380 millimetri	PH-500	40-60L			
	H-80	150*80 * 420 millimetri	PH-1100	60-100L			
	HX-120	240*180 * 520 millimetri	C-1500	200-400L	1500 L/H	120 millimetri	180-220 millimetri
	HX-150	240*180 * 520 millimetri	C-2500	300-500L	2500L/H	150 millimetri	160-210 millimetri
	HX-180	290*210 * 550 millimetri	C-3000	600-800L	3000L/H	180 millimetri	180-220 millimetri
	HX-200	310*230 * 550 millimetri	C-4000	800-1200L	4000L/H	200 millimetri	180-220 millimetri
	HX-220	330*250 * 550 millimetri	C-4000	1000-1500L	4000L/H	220 millimetri	180-220 millimetri
	HX-300	410*330 * 650 millimetri	C-12000	3000-4000L	12000L/H	300 millimetri	180-230 millimetri
Protein skimmer accessori		MTS-150	50*150 (50-90)				
		MTS-200	200*200 (50-90)				
		MTS-300	280*220 (50-90)				

Mini Aerator Oxygen Pump Double Outlet Air Pump 2 Air stones HX-AQ3



Quick Details

Item	Mini Aerator Oxygen Pump Double Outlet Air Pump 2 Air stones HX-AQ3
Brand Name	HUIXIA
Model Number	See below table
Waterproof	No
Place of Origin	Fuzhou, China
Supply Ability	5000pcs per month
Package	plastic box/leather box/cloth box
Shipping method	DHL/UPS/FEDEX/TNT/by air/by sea
Port	Fuzhou, China
Trade terms	FOB/CIF/CNF
Payment method	paypal/bank transfer/west union

Tags : Pump ,aquarium pump and filter ,fish tank pump ,areator oxygen maker pump ,aquarium pump and air stone air pump

Specification:

Model	Mini Aerator Oxygen Pump Double Outlet Air Pump 2 Air stones HX-AQ3
Power rating	5W
Rated Voltage	220W
Max pressure	0.015MPA
Max displacement	3.5L/Min
Size	120x70x55 MM

Features:

Low power consumption, high-efficiency, long operating life, stable performance
Safe and Energy-saving
Easy Installation
High Quality & Wide Compatibility

Packing List

Package weight: 11.5 oz/327g
The length of the tube: 100cm, 115cm

Application:

It's ideal for small and medium sized aquariums plus oxygen or for families.
With our air pump, you can easily create a both hospitable and nice-looking environment for your water inhabitants.

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hyp@nt-rt.ru || сайт: <https://huixiasupply.nt-rt.ru/>